

ONE SHIP LADDER 2501A



DETAIL-1



DETAIL OF gt9
GT1 1/2x7 5/16x0-0 3/16



SECTION A-A



SECTION B-B

PLEASE VERIFY PROPOSED FRAMING CONNECTIONS AS SHOWN

BILL OF MATERIAL

Qty	Pc Mk	Description	Ft In	Remarks	Grade	Wt/Pc
ONE	2501A	SHIP LADDER				639
1	c23	C8x11.5	11 1/2		A36	11
1	c24	C8x11.5	11 1/2		A36	11
1	c20	C8x11.5	12-3 13/16		A36	142
1	c22	C8x11.5	12-3 13/16		A36	142
2	hss3	PIPE 1 1/4 STD	8-7 9/16		A53	39
2	hss4	PIPE 1 1/4 STD	9 1/8		A53	3
4	hss23	PIPE 1 1/4 STD	8 3/16		A53	6
2	a6	L3x3x1/4	5 1/2		A36	4
2	a3	L3x3x1/4	3		A36	2
11	gt9	GT1 1/2x7 5/16	3-0			278
		FIELD BOLTS				
2		1/2 Dia LAG BOLT	2			

GENERAL NOTES:
1. ACCUMULATIVE DIMENSIONS ARE TAKEN FROM THE LINE
2. IF NOTED, "NO PAINT AT OPEN HOLES" MEANS WITHIN 1" OF THE HOLE (MIN) BUT NOT LESS THAN THE BOLT DIAMETER AND ALL AREAS WITHIN THE BOLT PATTERN
3. ALL SHOP INSTALLED HIGH STRENGTH BOLTS ARE TO BE SNUG TIGHT U.N.O.
4. DEBURRING OF HOLES IS REQURIED IF BURR EXCEEDS 1/16"
5. FIELD BOLTS ARE FOR SUPPORTED MEMBERS.

REV.	DESCRIPTION	DATE
1	FOR APPROVAL	01-21-15

ISO 9001:2008 CERTIFIED

AISC CERTIFIED FABRICATOR

FINISH / PAINT: N/A
WELD ELECTRODES: E70XX
PROJECT NAME: LANDMARK LOFTS PHASE II
HOLES: 13/16 Dia
ADDRESS: 5TH & 30TH STREET BOULDER, CO
DETAILER: LC
CONTRACTOR: PCL CONSTRUCTION
CHECKER:
PHASE CODE:
JOB NUMBER: 5413
DRAWING NUMBER: 2501