

NOTES:				NET UPLIFT: _____ PLF																		
				ASD <input checked="" type="checkbox"/> LRFD <input type="checkbox"/> FACTORED <input type="checkbox"/>																		
DEFLECTION: TL = L/360																						
L11) ADD'L +0.25K LOAD AT ANY TCPP DUE TO RTU																						
U11) NU= 154 PLF																						
U12) NU = 125 PLF + ADD'L PNU = 39 PLF FOR 6'-0" FTE																						
SEQUENCE				QTY	MARK	TYPE	ELEV. SLOPE	EXTL	C/C OR CLEAR	EXTR	FL / TYPE	CL	FR/ TYPE	CR	BDL	BDR	SHL	SHR	BCXL	BCXR	OAL	NOTES
1	2	3	4																			
				2	J11	20K6		- 1/2"	34'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					34'-3 1/4"	U11
				12	J12	20K6		- 1/2"	34'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					34'-3 1/4"	U12
				1	J13	2.5K3		- 1/2"	7'-4"	- 1/2"					2 1/2"	2 1/2"					7'-3"	
				2	TJ14	18K3		- 1/2"	26'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"		2 3/4"			26'-3 1/4"	U12 (DT)
				13	J15	18K3		- 1/2"	26'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					26'-3 1/4"	U12
				1	TJ16	18K3		- 1/2"	26'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"		2 1/2"		4 1/2"	26'-3 1/4"	U12 (DT)
				1	J17	18K3		- 1/2"	26'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					26'-3 1/4"	L11, U11
				2	TJ18	22K4		- 1/2"	32'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"		2 3/4"			32'-3 1/4"	U12 (DT)
				2	J19	22K4		- 1/2"	32'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					32'-3 1/4"	U12
				1	TJ20	22K4		- 1/2"	32'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"		2 1/2"		4 1/2"	32'-3 1/4"	U12 (DT)
				1	J21	20K6		- 1/2"	34'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					34'-3 1/4"	L11, U11
				3	J22	20K6		- 1/2"	34'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					34'-3 1/4"	L11, U12
				4	J23	18K3		- 1/2"	26'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					26'-3 1/4"	L11, U12
				10	J24	22K4		- 1/2"	32'-4"	- 1/4"	F	5 1/4"	F	5 1/4"	2 1/2"	2 1/2"					32'-3 1/4"	L11, U12
				55	TOTAL QTY			LAST SHOP ORDER YES <input type="checkbox"/> NO <input checked="" type="checkbox"/>		PROJECT: 22-01854 - RETAIL BUILDING 4								PAINT: GRAY		REV #	DATE:	

